

LAND CORNER RECORD

Index: V8	Corner: E 1/16 BETWEEN SECTION 29 & 32	State of Indiana - Hoosier National Forest		
Section: 29/32	Township: 7N	Range: 1E	P.M.: 2nd	County: Monroe
Coordinate:	Lat./N:	Lon./E:	Datum:	


CORNER HISTORY: (Chronological history of corner)

1.) Date of Survey:	Surveyor:	Monument:	Recording Information:	Monument Photograph:
1/08/2004	Robert J. Stone	BRASS CAP	USFS Record	
Reference Objects:	Species:	Diameter:	Bearing:	Distance:
	Wood Post w/ sign	4"x 4"	S 00° W	4.3'
	Beech	7"	S 28° E	6.9'
	Hickory	19"	N 79° E	18.9'
Evidence Found:	The monument sits 6' south of a west treeline w/ old fence remains. An old rotted 10" tall, 14" diameter stump is S 56° W, 4.5'			
Monument Found:	3" dia steel pipe w/ a 3" dia unmarked brass cap standing 6" above a small rock cairn			
2.) Date of Survey:	Surveyor:	Monument:	Recording Information:	
Reference Objects:	Species:	Diameter:	Bearing:	Distance:
Evidence Found:				
Monument Found:				

ACCESSORIES: Bearing and distance from monument to witness object

Reference Objects:	Object or Tree Species:	Diameter:	Bearing:	Distance:
	Beech	8"	S 28° E	6.88'
	Double Shagbark Hickory	15"	N 16° E	37.43'
	Shagbark Hickory	20"	N 80° E	19.10'
Monument Found or Set:	Found 3" dia. steel pipe with a 3" brass disk, 0.7' above grade.			

MONUMENT SKETCH



3" steel pipe w/ 3" brass cap
(punch mark is 1/2" east of center)

NARRATIVE REFERENCE:

The monument is a 3" dia. steel pipe with a 3" brass disk, 1.0' above grade, located on a westerly facing slope +/- 200' east of a north/south creek and +/- 150' west of a ridge top, in an tree line.

The boundary line to the north has been blazed and painted in the past.

SECTION DIAGRAM



Corner Location = ●

PERPETUATION RECORD:

Monument was found undisturbed per the 1994 Land Corner Record. Two existing bearing trees were remarked. Established one new bearing tree.

*Referenced on BRCJ survey recorded as InstNo.2018004725
Accepted by the Monroe County Surveyor Review Board on August 6, 2019.*

Section: 29/32

Prepared By: BRG #7308

Date: 12/27/2012

Index: V-8		Corner: E1/16		LAND CORNER RECORD		State of Indiana Hoosier National Forest	
Twnshp: 7N		Range: 1E		Section: 29/32 2 nd P.M.		County: Monroe	
EXISTING SURVEYS							
Original Government Survey				Original Survey Evidence Found			
Year Surveyed:		By:		Date of Search:		By:	
Original Monument:				Monument Found:			
Species	Diameter	Bearing	Distance	Species	Diameter	Bearing	Distance
Subsequent Corner Restoration				Evidence of Subsequent Corner Restoration Found			
Where Filed or Recorded:				Year Searched: 1/08/04 By: B. Stone			
Book: 		Page: 		Date: 		Monument Found: 3" diameter steel pipe with a 3" diameter unmarked brass cap, standing 6" above a small rock cairn	
Monument Set:							
Species	Diameter	Bearing	Distance	Species	Diameter	Bearing	Distance

OTHER EVIDENCE

Describe corner loc. relative to nearby features & dir. to corner location; note fences, roads, etc.	Sketch of Monument
The monument is located on an east slope approximately 2/3 up the slope. The boundary line to the north has been blazed and painted in the past. It is in a treeline. The monument sits 6 feet south of a west treeline with old fence remnants. An old rotted 10" tall, 14" diameter stump is S 56°W 4.5 feet.	

PERPETUATION RECORD

Monument: Describe new monument set or work done to perpetuate/preserve the existing monument/position.							
Corner Diagram		Accessories: Describe new BTs & witness objects established to perpetuate existing evidence.					
		4" x 4" wood boundary post (with survey monument and property boundary signs) 4.3 Ft. tall 1.8Ft. south					
		Beech		Hickory			
		7"		19"			
		S 28°E		N 79°E			
		6.9 Ft.		18.9Ft.			
Section: 32		Corner Recordation:		Certificate Prepared:			
		Filed and Recorded in County records:		Date:			
		Book:		Page:			
		Geodetic Coordinates:		Lat./N.		Long./E.	
		Edited By: Robert J. Stone		Date Created:		03/29/04	

Index No. V 8
(Alphabetical - Numerical)

LAND CORNER RECORD
(RECTANGULAR SURVEYS)

R9-7100-74 (Rev. 5/80)

T. 7 N R. 1 E 2nd P Mer. N.F. Hoosier County Monroe State Indiana
E. 1/16 Corner common to sections 29 and 32

EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument None
(Wood post, stone, pile of stones, pipe, etc.)

Bearing Trees

Species _____
Diameter None
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed 1860 By J.S. Buskirk MCS
Where filed or recorded Monroe Co. Surveyor
Monument Not called for
(Original, concrete post, iron rod, etc.)

Bearing Trees, Reference Objects

Species	<u>W. Oak</u>	<u>W. Oak</u>
Diameter	<u>18"</u>	<u>16"</u>
Bearing	<u>S38W</u>	<u>S37E</u>
Distance	<u>52 1/2 lk</u>	<u>39 lk</u>

Original Evidence Found

Year of search 1988 By R. Ratcliff
Monument found None R.L.S.#S0343

Original Bearing Trees Found


Species _____
Diameter None
Bearing _____
Distance _____

Evidence of Subsequent Corner Restoration Found

Year of search 1988 By R. Ratcliff
None R.L.S.#S0343

Bearing Trees, Reference Objects

None



Sketch

○ Corner ■ F.S. Land

Relation of Evidence to Record Features Along Section Lines

Section line to sections _____
Object _____
Record distance _____
Measured distance _____

Other Evidence

Describe evidence of use and occupation such as roads, fences, clearings, timber cutting lines, plantations, etc.. Cite source of testimony if any.

Found unmarked pipe and cap 6' South
and 11' West of fence intersection
fences North, South and West - Pointed
stone lying at fence intersection.

Perpetuation Record

Monument and accessories established. Include brief description of area.

None

At time of search:

1. Did you have the record description?
Yes X No _____

2. How was search area located?
Pacing, chaining, photos, maps,
etc. Maps & traverse

3. Man hours spent in search 2

4. Do you think additional search might
recover evidence? Yes _____ No X

5. Signature R. Ratcliff

Certified corner restoration certificate prepared: Yes _____ No X

Filed in county records at _____ Date _____ County Document No. _____

Identified on aerial photo No. _____ Which is filed at _____